



CERTIFICATE OF ANALYSIS

Our Reference: 41933-56073/20

Report Date: 04 November 2020
Name of Company: Health Rx Pte Ltd
Address: 61 Ubi Ave 1, UB Point
#04-04
Singapore 408941

Sample Description: Sample(s) was received in plastic container with the following marking:
HealthRX Sambucus Vites Gummies 90s (Raspberry Flavour) EXP:31/05/2022 BN:353959

Date of Analysis: 27 October - 4 November 2020

RESULTS: On analysis, the following results were obtained:

Test Parameter(s)	Test Method(s)	Test Result(s)	Specification
Total Aerobic Plate Count	(USP 42, <61>)	<10 estimated CFU/g	Not more than 100,000 per g
Total Escherichia coli Count	(USP 42, <62>)	Absent per g	Absent per g
Coagulase positive Staphylococcus aureus	(USP 42, <62>)	Absent per g	Absent per g
Total Yeast and Mould Count	(USP 42, <61>)	<10 CFU/g	Not More than 500 per g
Salmonella spp.	(USP 42, <62>)	Absent per g	Absent per g
*Mercury (Hg)	(ADM/C&B/007:2018)	Not Detected ppm	Maximum 0.5 ppm
*Arsenic(As)	(ADM/C&B/007:2018)	Not Detected ppm	Maximum 5 ppm
*Lead (Pb)	(ADM/C&B/007:2018)	Not Detected ppm	Maximum 10ppm
*Cadmium (Cd)	(ADM/C&B/007:2018)	Not Detected ppm	Maximum 0.3ppm

CFU = Colony Forming Unit MPN = Most Probable Number

Remarks: The above results are based on sample(s) submitted.

Sample(s) tested on the date of receipt, unless otherwise stated.

Specification is taken from Medicine Act CAP 176, O4, Revised Edn 2000 (31.1.2000) G.N.Nos S256/86.

*=The above tests were subcontracted to another SAC-SINGLAS accredited laboratory (Report No. T20-13754-3).

Lowest Detection Limit for Arsenic, Lead & Cadmium: 0.100ppm, Mercury: 0.030ppm.

